

Nove pobude za delo v ETSI – SEPTEMBER 2024

Referenčna oznaka	Naslov
Doc. Nb. EG 202 843 Ref. REG/USER-0024v211 Technical Body: USER	Quality of ICT services Definitions and methods for assessing the QoS parameters of the customer relationship stages other than utilization
Doc. Nb. TS 138 561 Ver. 18.0.0 Ref. RTS/TSGR-0538561vi00 Technical Body: 3GPP RAN 5	5G; NR; User Equipment (UE) conformance specification; UE TRP (Total Radiated Power) and TRS (Total Radiated Sensitivity) requirements and test methodologies for FR1 (NR SA and EN-DC) (3GPP TS 38.561 version 18.0.0 Release 18)
Doc. Nb. TS 138 561 Ver. 17.3.0 Ref. RTS/TSGR-0538561vh30 Technical Body: 3GPP RAN 5	5G; NR; User Equipment (UE) conformance specification; UE TRP (Total Radiated Power) and TRS (Total Radiated Sensitivity) requirements and test methodologies for FR1 (NR SA and EN-DC) (3GPP TS 38.561 version 17.3.0 Release 17)
Doc. Nb. TS 138 551 Ver. 18.0.0 Ref. RTS/TSGR-0538551vi00 Technical Body: 3GPP RAN 5	5G; NR; User Equipment (UE) Multiple Input Multiple Output (MIMO) Over-the-Air (OTA) performance; Conformance testing (3GPP TS 38.551 version 18.0.0 Release 18)
Doc. Nb. TS 138 521-4 Ver. 18.4.0 Ref. RTS/TSGR-0538521-4vi40 Technical Body: 3GPP RAN 5	5G; NR; User Equipment (UE) conformance specification; Radio transmission and reception; Part 4: Performance (3GPP TS 38.521-4 version 18.4.0 Release 18)
Doc. Nb. TS 138 521-1 Ver. 18.4.0 Ref. RTS/TSGR-0538521-1vi40 Technical Body: 3GPP RAN 5	5G; NR; User Equipment (UE) conformance specification; Radio transmission and reception; Part 1: Range 1 standalone (3GPP TS 38.521-1 version 18.4.0 Release 18)
Doc. Nb. TS 138 508-1 Ver. 18.4.0 Ref. RTS/TSGR-0538508-1vi40 Technical Body: 3GPP RAN 5	LTE; 5G; 5GS; User Equipment (UE) conformance specification; Part 1: Common test environment (3GPP TS 38.508-1 version 18.4.0 Release 18)
Doc. Nb. TS 138 331 Ver. 17.10.0 Ref. RTS/TSGR-0238331vha0 Technical Body: 3GPP RAN 2	5G; NR; Radio Resource Control (RRC); Protocol specification (3GPP TS 38.331 version 17.10.0 Release 17)

Doc. Nb. TS 138 321 Ver. 16.17.0 Ref. RTS/TSGR-0238321vgh0 Technical Body: 3GPP RAN 2	5G; NR; Medium Access Control (MAC) protocol specification (3GPP TS 38.321 version 16.17.0 Release 16)
Doc. Nb. TS 138 306 Ver. 16.18.0 Ref. RTS/TSGR-0238306vgi0 Technical Body: 3GPP RAN 2	5G; NR; User Equipment (UE) radio access capabilities (3GPP TS 38.306 version 16.18.0 Release 16)
Doc. Nb. TS 138 300 Ver. 15.18.0 Ref. RTS/TSGR-0238300vfi0 Technical Body: 3GPP RAN 2	5G; NR; NR and NG-RAN Overall description; Stage-2 (3GPP TS 38.300 version 15.18.0 Release 15)
Doc. Nb. TS 138 101-4 Ver. 16.18.0 Ref. RTS/TSGR-0438101-4vgi0 Technical Body: 3GPP RAN 4	5G; NR; User Equipment (UE) radio transmission and reception; Part 4: Performance requirements (3GPP TS 38.101-4 version 16.18.0 Release 16)
Doc. Nb. TS 138 101-1 Ver. 17.15.0 Ref. RTS/TSGR-0438101-1vhf0 Technical Body: 3GPP RAN 4	5G; NR; User Equipment (UE) radio transmission and reception; Part 1: Range 1 Standalone (3GPP TS 38.101-1 version 17.15.0 Release 17)
Doc. Nb. TS 137 355 Ver. 18.3.0 Ref. RTS/TSGR-0237355vi30 Technical Body: 3GPP RAN 2	LTE; 5G; LTE Positioning Protocol (LPP) (3GPP TS 37.355 version 18.3.0 Release 18)
Doc. Nb. TS 136 523-3 Ver. 18.5.0 Ref. RTS/TSGR-0536523-3vi50 Technical Body: 3GPP RAN 5	LTE; Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification; Part 3: Test suites (3GPP TS 36.523-3 version 18.5.0 Release 18)
Doc. Nb. TS 136 521-2 Ver. 18.6.0 Ref. RTS/TSGR-0536521-2vi60 Technical Body: 3GPP RAN 5	LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) conformance specification; Radio transmission and reception; Part 2: Implementation Conformance Statement (ICS) (3GPP TS 36.521-2 version 18.6.0 Release 18)
Doc. Nb. TS 136 331 Ver. 16.17.0 Ref. RTS/TSGR-0236331vgh0 Technical Body: 3GPP RAN 2	LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification (3GPP TS 36.331 version 16.17.0 Release 16)
Doc. Nb. TS 136 331 Ver. 14.18.0 Ref. RTS/TSGR-0236331vei0	LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol

Technical Body: 3GPP RAN 2	specification (3GPP TS 36.331 version 14.18.0 Release 14)
Doc. Nb. TS 136 133 Ver. 13.24.0 Ref. RTS/TSGR-0436133vdo0 Technical Body: 3GPP RAN 4	LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Requirements for support of radio resource management (3GPP TS 36.133 version 13.24.0 Release 13)
Doc. Nb. TS 133 503 Ver. 18.4.0 Ref. RTS/TSGS-0333503vi40 Technical Body: 3GPP SA 3	5G; Security Aspects of Proximity based Services (ProSe) in the 5G System (5GS) (3GPP TS 33.503 version 18.4.0 Release 18)
Doc. Nb. TS 133 501 Ver. 18.7.0 Ref. RTS/TSGS-0333501vi70 Technical Body: 3GPP SA 3	5G; Security architecture and procedures for 5G System (3GPP TS 33.501 version 18.7.0 Release 18)
Doc. Nb. TR 138 918 Ver. 18.2.0 Ref. RTR/TSGR-0538918vi20 Technical Body: 3GPP RAN 5	5G; Study on 5G NR User Equipment (UE) full stack testing for Network Slicing (3GPP TR 38.918 version 18.2.0 Release 18)
Doc. Nb. TR 138 905 Ver. 18.4.0 Ref. RTR/TSGR-0538905vi40 Technical Body: 3GPP RAN 5	5G; NR; Derivation of test points for radio transmission and reception User Equipment (UE) conformance test cases (3GPP TR 38.905 version 18.4.0 Release 18)
Doc. Nb. TR 138 903 Ver. 18.4.0 Ref. RTR/TSGR-0538903vi40 Technical Body: 3GPP RAN 5	5G; NR; Derivation of test tolerances and measurement uncertainty for User Equipment (UE) conformance test cases (3GPP TR 38.903 version 18.4.0 Release 18)
Doc. Nb. TR 138 878 Ver. 18.4.0 Ref. RTR/TSGR-0438878vi40 Technical Body: 3GPP RAN 4	5G; NR demodulation performance evolution (3GPP TR 38.878 version 18.4.0 Release 18)
Doc. Nb. TR 138 870 Ver. 18.3.0 Ref. RTR/TSGR-0438870vi30 Technical Body: 3GPP RAN 4	5G; Enhanced Over-the-Air (OTA) test methods for NR FR1 Total Radiated Power (TRP) and Total Radiated Sensitivity (TRS) (3GPP TR 38.870 version 18.3.0 Release 18)
Doc. Nb. TR 138 863 Ver. 18.3.0 Ref. RTR/TSGR-0438863vi30 Technical Body: 3GPP RAN 4	5G; Non-terrestrial networks (NTN) related RF and co-existence aspects (3GPP TR 38.863 version 18.3.0 Release 18)

Doc. Nb. TR 138 853 Ver. 17.5.0 Ref. RTR/TSGR-0438853vh50 Technical Body: 3GPP RAN 4	5G; Introduction of 900MHz NR band for Europe for Rail Mobile Radio (RMR) (3GPP TR 38.853 version 17.5.0 Release 17)
Doc. Nb. TR 138 852 Ver. 17.5.0 Ref. RTR/TSGR-0438852vh50 Technical Body: 3GPP RAN 4	5G; Introduction of 1900MHz NR band for Europe for Rail Mobile Radio (RMR) (3GPP TR 38.852 version 17.5.0 Release 17)
Doc. Nb. TR 138 850 Ver. 18.1.0 Ref. RTR/TSGR-0438850vi10 Technical Body: 3GPP RAN 4	5G; Rel-18 High power UE (power class 2) for FR1 NR FDD band in UL of NR inter-band CA/DC combinations with y bands downlink (y=2,3,4,5,6) and x bands uplink (x=1) (3GPP TR 38.850 version 18.1.0 Release 18)
Doc. Nb. TR 138 761 Ver. 18.3.0 Ref. RTR/TSGR-0438761vi30 Technical Body: 3GPP RAN 4	5G; Measurements of Multiple Input Multiple Output (MIMO) Over-the-Air (OTA) performance of User Equipment (UE) (3GPP TR 38.761 version 18.3.0 Release 18)
Doc. Nb. TR 138 751 Ver. 18.3.0 Ref. RTR/TSGR-0438751vi30 Technical Body: 3GPP RAN 4	5G; UE RF requirement for NR frequency range 2 (FR2) multi-Rx chain DL reception (3GPP TR 38.751 version 18.3.0 Release 18)
Doc. Nb. TR 138 741 Ver. 18.2.0 Ref. RTR/TSGR-0438741vi20 Technical Body: 3GPP RAN 4	5G; Non-Terrestrial Networks (NTN) L-/S-band for NR (3GPP TR 38.741 version 18.2.0 Release 18)
Doc. Nb. TR 137 901-5 Ver. 16.13.0 Ref. RTR/TSGR-0537901-5vgd0 Technical Body: 3GPP RAN 5	5G; Study on 5G NR User Equipment (UE) application layer data throughput performance (3GPP TR 37.901-5 version 16.13.0 Release 16)
Doc. Nb. TR 137 718-11 Ver. 18.1.0 Ref. RTR/TSGR-0437718-11vi10 Technical Body: 3GPP RAN 4	LTE; 5G; Rel-18 Dual Connectivity (DC) of 1 band LTE (1DL/1UL) and 1 NR band (1DL/1UL) (3GPP TR 37.718-11-11 version 18.1.0 Release 18)
Doc. Nb. TR 136 905 Ver. 18.6.0 Ref. RTR/TSGR-0536905vi60 Technical Body: 3GPP RAN 5	LTE; Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Derivation of test points for radio transmission and reception conformance test cases (3GPP TR 36.905 version 18.6.0 Release 18)
Doc. Nb. TR 136 762 Ver. 16.1.0 Ref. RTR/TSGR-0436762vg10	LTE; 410 – 430 MHz Evolved Universal Terrestrial Radio Access (E-UTRA) Frequency Division Duplex

Technical Body: 3GPP RAN 4	(FDD) Band(s) for LTE Public Protection and Disaster Relief (PPDR) and Professional Mobile Radio (PMR) / Public Access Mobile Radio (PAMR) in Europe (3GPP TR 36.762 version 16.1.0 Release 16)
Doc. Nb. TR 128 908 Ver. 18.1.0 Ref. RTR/TSGS-0528908vi10 Technical Body: 3GPP SA 5	5G; Study on Artificial Intelligence/Machine Learning (AI/ ML) management (3GPP TR 28.908 version 18.1.0 Release 18)
Doc. Nb. TR 126 997 Ver. 18.1.0 Ref. RTR/TSGS-0426997vi10 Technical Body: 3GPP SA 4	LTE; 5G; Codec for Immersive Voice and Audio Services (IVAS); Performance characterization (3GPP TR 26.997 version 18.1.0 Release 18)
Doc. Nb. TR 126 996 Ver. 18.1.0 Ref. RTR/TSGS-0426996vi10 Technical Body: 3GPP SA 4	Immersive Audio for Split Rendering Scenarios; Performance characterization (3GPP TR 26.996 version 18.1.0 Release 18)
Doc. Nb. TR 104 109 Ref. DTR/SmartM2M-104109 Technical Body: SmartM2M	SmartM2M; Data Act (art. 33) requirement and references analysis
Doc. Nb. TR 104 106 Ref. DTR/MSG-001161 Technical Body: MSG	Publicly Available Specification (PAS); O-RAN Threat-Modeling (O-RAN.WG11.Threat-Modeling-R003-v03.00)
Doc. Nb. TR 104 073 Ref. RTR/ITS-247 Technical Body: ITS	Intelligent Transport Systems (ITS); Radio Resource Management Study; Release 2
Doc. Nb. TR 103 948 Ref. RTR/ATTM-0020015 Technical Body: ATTM	Wireline Access Network Systems; General engineering for existing network reuse; Implementation of IP equipment on existing coaxial networks
Doc. Nb. TR 101 416 Ref. DTR/SmartM2M-101416 Technical Body: SmartM2M	SmartM2M; IoT Ontology Web Server - Security, Deployment, and Support
Doc. Nb. TR 101 411 Ref. DTR/SmartM2M-101411 Technical Body: SmartM2M	SmartM2M; Pandesy use cases and requirements